Mutation Research, 100 (1982) 441
Elsevier Biomedical Press

AUTHOR INDEX

Volume 100 (1982)

Albanese, R., 309
Anderson, D., 257
Arlett, C.F., 1, 253, 271
Ashby, J., 1, 391, 399, 417

Barrett, R.H., 207
Bootman, J., 9, 33, 361
Bosworth, D.A., 39
Brook, J.D., 305
Brooks, T.M., 61, 157

Callander, R.D., 55
Carr, S., 357
Chatfield, S.N., 35
Cohn, P., 127
Cole, J., 253, 379
Cole, R.J., 379
Coombs, M.M., 1, 403, 407
Crofton-Sleigh, C., 39
Cross, M.F., 257
Cuthbert, J.A., 357

Dance, J., 283
Danford, N., 279, 353
Daniel, M.R., 223
Davies, P.J., 239
Dean, B.J., 283
Dehnel, J.M., 223

Edwards, K., 211
Elliott, B.M., 417

Fahmy, M.J., 339
Fahmy, O.G., 339
Forster, R., 75
Fox, M., 235

Gaunt, C., 395, 399
Gilbert, P.J., 169
Gonzalez, L.P., 61, 157
Goodwin, D.E., 153

Hartley-Asp, B., 17, 295, 373
Hatch, G.G., 229
Hodson-Walker, G., 283
Holmstrom, M., 357
Hyldig-Nielsen, F., 17

Igwe, C.N., 127

James, T.E.B., 263
Jenkinson, P.C., 297, 301
Jones, E., 49

Keetch, D., 351
Kelly, S.L., 173
Kilmartin, M., 351
Kirkland, D.J., 21, 297, 301

Ladner, A., 27
Lee, C.G., 245
Lefevre, P.A., 417
Lodge, D.C., 9, 33
Longstaff, E., 391, 395
Lowe, J., 253
Luker, M.A., 123

MacDonald, D., 335
McGregor, D.B., 215, 219, 249, 357
Malallah, G., 279
Mamay, P.D., 229
May, K., 9, 33
Meredith, J., 203
Merrill, C., 81
Mirzayans, F., 239
Mirzayans, R., 203
Mitchell, I. de G., 169
Moore, L.J., 283
Moore, W.B., 35
Muriel, W.J., 253

Nesnow, S., 229
North, T.A., 113

Pagano, D., 67
Parmar, V., 21
Parry, J.M., vii, 1, 81, 113, 139, 145, 153, 163, 173, 185, 239, 279, 353, 411
Patel, R., 179
Pearson, C.M., 211
Penman, M.G., 15
Penman, S., 227
Phillips, B.J., 263
Poole, A., 215, 219
Pour, M.S.M., 81
Pritchard, N., 71
Proudlock, R.J., 375

Rees, R., 361
Regnier, A.P., 87
Richards, D., 351
Richardson, C.R., 287
Richardson, J.C., 375
Richold, M., 49, 223, 375
Rickard, C., 65
Robinson, M., 399
Ross, C.A., 249

Sargent, A.W., 87
Scott, D., 313
Scott, K., 345, 365
Shelby, M.D., 67
Smith, K.L., 21, 297, 301
Styles, J., 72, 227
Styles, J.A., 417

Telford, K., 335
Tippins, R.S., 119
Topham, J.C., 345, 365, 381
Trueman, R.W., 55

Varley, R.B., 45
Venitt, S., 39, 91

Waters, R., 203
Watkins, P., 65, 133
Webber, T.D., 245
Whalley, H.E., 361
Wickramaratne, G.A. deS., 351
Wilcox, Ph., 163, 185
Wildgoose, J., 287
Wilkie, D., 179
Willins, M.L., 357

0165-1218/82/0000–0000/$02.75 © Elsevier Biomedical Press

Mutation Research, 100 (1982) 443–447
Elsevier Biomedical Press

SUBJECT INDEX

Volume 100 (1982)

Aneuploidy, in *A. nidulans*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 127, 133
Aspergillus nidulans, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 127, 133
Azaguanine resistance, in V79 cells, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 245

Bacterial mutagenicity, of benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 9, 15, 17, 21, 27, 33, 35, 39, 45, 49, 55, 61, 65, 67, 71, 75, 81, 87
–, –, –, analysis of data, 91
Benzyl chloride, in *Aspergillus nidulans*, 127, 133
–, BHK21 C13 cells, cell transmission test, 223
–, in BHK cell-transformation assay, 227
–, 4-chloro- and 4-hydroxymethylbiphenyl, bacterial mutagenicity, 9, 15, 17, 21, 27, 33, 35, 39, 45, 49, 55, 61, 65, 67, 71, 75, 81, 87, 91
–, –, –, analysis of data, 91
–, –, cancer tests, 391, 395, 399, 403, 407
–, –, –, analysis of results, 407
–, –, in cultured mammalian cells, 203, 207, 211, 215, 219, 223, 227, 229, 235, 239, 245, 249, 253, 257, 263, 271
–, –, –, analysis of results, 271
–, –, cytogenetic assays, 279, 283, 287, 295, 297, 301, 305, 309, 313
–, –, –, analysis of results, 313
–, –, fungal mutagenicity, 113, 119, 123, 127, 133, 139, 145, 153, 157, 163, 169, 173, 179, 185
–, –, –, analysis of data, 185
–, –, genetic toxicology, assessed by UKEMS Genotoxicity Trial, 1981, 411
–, –, in vivo assays, 335, 339, 345, 351, 353, 357, 361, 365, 373, 375, 379, 381
–, –, –, analysis of results, 381
–, –, overview of chemical and biological reactivity, 417
–, –, UKEMS Collaborative Genotoxicity Trial, background, organization, a.o., 1

Benzyl chloride, (*continued*)
–, in cultured Chinese hamster ovary cells, 263
–, in cultured human alveolar tumour cells, 203
–, in Drosophila, sex-linked recessive lethal tests, 335
–, fluctuation test, 87
–, in HeLa S3 cells, unscheduled DNA synthesis, 207
–, in human lymphocytes, metaphase analysis, 297
–, in human peripheral lymphocytes, in vitro, 295
–, 'microtitre' fluctuation test, 81
–, morphological transformation in C3H/10T$\frac{1}{2}$ clone 8 cells, 219
–, in mouse lymphoma L5178Y cells, TK locus, 249
–, in mouse micronucleus test, 353, 373
–, –, multiple sampling method, 357
–, –, subcutaneous administration, 365
–, mouse skin test, 399, 403
–, in *N. crassa*, 123
–, in rat-liver epithelial cells, 279
–, in *Saccharomyces cerevisiae*, 113, 119, 139, 145, 153, 157, 163, 169, 173, 179, 185
–, Salmonella, Ames test, 27, 35, 45, 49, 55, 65
–, –, and *E. coli*, 21, 39, 61
–, –, spot test, 17
–, sister-chromatid exchanges in human lymphocytes, 301
–, in soma and germ line of Drosophila, 339
–, sperm head abnormality test in mouse, 345
–, transformation of BHK 21 C31 cells, method of Styles, 215
–, in V79 Chinese hamster cells, 239
–, –, azaguanine resistance, 245

Cancer tests, with benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 391, 395, 399, 403, 407
–, –, –, analysis of results, 407
Carcinogenicity, mitochondrial toxicity in Saccharomyces, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 179

0165-1281/82/0000–0000/$02.75 © Elsevier Biomedical Press

Cells, HeLa S3, unscheduled DNA synthesis by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 207
Chinese hamster, cells, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 239
–, 4-chloromethylbiphenyl study, in vivo, 309
–, ovary cells, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 263
–, V79 cells, azaguanine resistance by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 245
–, –, HGPRT locus of 4-chloromethylbiphenyl, 235
4-Chloromethyl-biphenyl, in *Aspergillus nidulans*, 127, 133
–, BHK21 C13 cells, cell transmission test, 223
–, in BHK cell-transformation assay, 227
–, in Chinese hamster cells, cultured, 263
–, –, in vivo, 309
–, –, V79, 239
–, –, –, azaguanine resistance, 245
–, in cultured human alveolar tumour cells, 203
–, DNA-repair phenomena, 211
–, in Drosophila, sex-linked recessive lethal tests, 335
–, in *E. coli*, primary genetic damage, 9
–, –, WP2 *uvrA pKM101*, 15
–, fluctuation test, 87
–, genetic toxicology in fungi, survey of results from 12 laboratories, 185
–, in HeLa S3 cells, unscheduled DNA synthesis, 207
–, in human lymphocytes, in vitro, 287, 295
–, –, metaphase analysis, 297
–, in micronucleus test, 353, 375
–, –, multiple sampling method, 357
–, 'microtitre' fluctuation test, 81
–, in microwell bacterial fluctuation test, 71
–, morphological transformation in C3H/10T$\frac{1}{2}$ clone 8 cells, 219
–, in mouse, dominant lethal assay, 351
–, –, germ cells, 305
–, –, lymphoma cells, L5178Y, 253
–, –, lymphoma L5178Y cells, TK locus, 249
–, –, micronucleus test, 361, 373
–, –, –, subcutaneous administration, 365
–, –, skin sebaceous-gland suppression test, 391
–, –, skin test, 399, 403
–, –, transplacental micronucleus test, 379
–, in *N. crassa*, 123
–, overview of chemical and biological reactivity, 417
–, in P388 cells, presence of 5-iodo-2'-deoxyuridine, 257
–, in rat-liver epithelial cells, 279, 283
4-Chloromethylbiphenyl, (*continued*)
–, in repair-deficient strains of Salmonella, 75
–, in *Saccharomyces cerevisiae*, 113, 119, 139, 145, 153, 157, 163, 169, 173, 179, 185
–, Salmonella, Ames test, 45, 49, 55, 65, 67
–, –, and *E. coli*, 21, 33, 39, 61
–, –, microsome incorporation test, 35
–, –, spot test, 17
–, –, reverse mutation tests, 27
–, sister-chromatid exchanges in human lymphocytes, 301
–, in soma and germ line of Drosophila, 339
–, sperm head abnormality test in mouse, 345
–, in subcutaneous implant test, 395
–, transformation of BHK 21 C13 cells, method of Styles, 215
–, in V79 Chinese hamster cells, HGPRT locus, 235
–, viral transformation of hamster embryo cells, 229
Cricetulus griseus, 4-chloromethylbiphenyl, in vivo, 309
Cytogenetics, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 279, 283, 287, 295, 297, 301, 305, 309, 313
–, –, –, analysis of results, 313

DNA synthesis, unscheduled, in HeLa S3 cells, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 207
Dominant-lethal assay, of 4-chloromethylbiphenyl in mouse, 351
Drosophila melanogaster, sex-linked recessive lethal tests with benzyl chloride and 4-chloromethylbiphenyl, 335
–, soma and germ line, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 339

Escherichia coli, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 21, 39
–, –, –, analysis of data, 91
–, 4-chloro- and 4-hydroxymethylbiphenyl, 9, 33
–, WP2 *uvrA pKM101*, 4-chloromethylbiphenyl, 15
–, WP2 and WP2*uvrA*, 4-chloromethylbiphenyl activity, 61

Fluctuation test, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 75, 87
–, 'microtitre', benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 81
Fungal mutagenicity, of benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 113, 119, 123, 127, 133, 139, 145, 153, 157, 163, 169, 173, 179, 185
–, –, –, analysis of data, 185

Germ, line, of Drosophila, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 339
–, –, of mouse, 4-chloromethylbiphenyl, 305
Gland, sebaceous, mouse-skin, suppression test, with 4-chloromethylbiphenyl, 391

Hamster, kidney, 21 C13 cells, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, in cell transmission test, 223
–, –, –, –, –, transformation, 215
Human, alveolar tumour cells, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl treatment, 203
–, lymphocytes, 4-chloromethylbiphenyl, in vitro, 287
–, –, 4-chloromethylbiphenyl and benzyl chloride, metaphase analysis, 297
–, –, –, sister-chromatid exchanges, 301
4-Hydroxymethylbiphenyl, in *Aspergillus nidulans*, 127, 133
–, BHK21 C13 cells, transmission test, 223
–, in Chinese hamster cells, cultured, 263
–, –, V79, 239
–, –, –, azaguanine resistance, 245
–, damage and repair in cultured human alveolar tumour cells, 203
–, in *E. coli*, primary genetic damage, 9
–, fluctuation test, 87
–, genetic toxicology in fungi, survey of results from 12 laboratories, 185
–, in HeLa S3 cells, unscheduled DNA synthesis, 207
–, in micronucleus test, 353
–, –, multiple sampling method, 357
–, 'microtitre' fluctuation test, 81
–, morphological transformation in C3H/10T$\frac{1}{2}$ clone 8 cells, 219
–, in mouse, lymphoma L5178Y cells, TK locus, 249
–, –, micronucleus test, subcutaneous administration, 365
–, –, skin test, 399, 403
–, in *N. crassa*, 123
–, peripheral lymphocytes, in vitro, benzyl chloride and 4-chloromethylbiphenyl, 295
–, in rat-liver epithelial cells, 279
–, in *Saccharomyces cerevisiae*, 113, 119, 139, 145, 153, 157, 163, 169, 173, 179, 185
–, Salmonella, Ames test, 45, 49, 55, 65
–, –, and *E. coli*, 21, 33, 39
–, –, microsome incorporation test, 35
–, –, reverse mutation tests, 27
–, in soma and germ line of Drosophila, 339

4-Hydroxymethylbiphenyl (*continued*)
–, sperm head abnormality test in mouse, 345
–, transformation of BHK 21 C13 cells, method of Styles, 215

Implant test, subcutaneous, of mouse, with 4-chloromethylbiphenyl, 395
In vivo assays, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 335, 339, 345, 351, 353, 357, 361, 365, 373, 375, 379
–, –, –, analysis of results, 381
5-Iodo-2′-deoxyuridine, 4-chloromethylbiphenyl studies in P388 cells, presence of, 257

Locus, HGPRT, Chinese hamster cells treated with 4-chloromethylbiphenyl, 235
–, TK, of mouse lymphoma L5178Y cells, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl treatments, 249

Mammalian cell mutagenicity, cultured, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 203, 207, 211, 215, 219, 223, 227, 229, 235, 239, 245, 249, 253, 257, 263, 271
–, –, –, analysis of results, 271
Meiotic gene conversion, in *S. cerevisiae*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 173
Meiotic point mutation, in *S. cerevisiae*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 173
Metaphase analysis, of human lymphocytes, benzyl chloride and 4-chloromethylbiphenyl, 297
Micronucleus test, mouse, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 353
–, –, benzyl chloride and 4-chloromethylbiphenyl, 373
–, –, 4-chloromethylbiphenyl, 361, 375
–, –, multiple sampling method, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 357
–, –, subcutaneous administration of benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 365
–, – transplacental, clastogenicity of 4-chloromethylbiphenyl, 379
'Microtitre' fluctuation test, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 81
Mitochondrial toxicity, in *S. cerevisiae*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 179
Mitotic aneuploidy, in *S. cerevisiae*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbenzyl, 139

Mitotic crossing-over, in *A. nidulans*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 127, 133
–, in *S. cerevisiae*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 139, 153
Mitotic gene conversion, in *A. nidulans*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 127
–, in *S. cerevisiae*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 145, 153, 157, 163, 169
Mouse, cells, C3H/10T½, clone 8, transformation by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 219
–, –, P388, 4-chloromethylbiphenyl, presence of 5-iodo-2′-deoxyuridine, 257
–, dominant lethal assay, 4-chloromethylbiphenyl, 351
–, germ cells, 4-chloromethylbiphenyl, 305
– lymphoma cells, L5178Y, 4-chloromethylbiphenyl, 253
–, –, –, TK locus, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 249
–, micronucleus test, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 353
–, –, –, –, multiple sampling method, 357
–, –, –, –, subcutaneous administration, 365
–, –, –, and 4-chloromethylbiphenyl, 373
–, –, 4-chloromethylbiphenyl, 361, 375
–, –, –, transplacental, 379
–, skin, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 399, 403
–, –, sebaceous-gland suppression test, 4-chloromethylbiphenyl, 391
–, sperm head abnormality test, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 345
–, subcutaneous implant test, with 4-chloromethylbiphenyl, 395
Multiple sampling method, micronucleus test, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 357

Neurospora crassa, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 125

Petite induction, in *S. cerevisiae*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 163, 169, 179
Point mutation, in *A. nidulans*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 127
–, in *N. crassa*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 123
Point mutation, (*continued*)
–, in *S. cerevisiae*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 153, 163

Radiosensitivities, yeast strains differing in, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 113
Rat, liver cells, 4-chloromethylbiphenyl, 283
–, –, epithelial, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 279

Saccharomyces cerevisiae, genotoxicity of benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 113, 119, 139, 145, 153, 157, 163, 169, 173, 179
Salmonella typhimurium, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 21, 27, 33, 39, 45, 49, 55, 61, 65, 91
–, –, –, fluctuation test, 87
–, –, –, microsome incorporation test, 35, 67
–, –, –, 'microtitre' fluctuation test, 81
–, repair-deficient, 4-chloromethylbiphenyl, 75
–, spot test, activity of benzyl chloride and 4-chloromethylbiphenyl, 17
–, TA98, microwell bacterial fluctuation test, 71
Sex-linked recessive lethal tests, with benzyl chloride and 4-chloromethylbiphenyl, in Drosophila, 335
Sister-chromatid exchanges, in human lymphocytes, benzyl chloride and 4-chloromethylbiphenyl treatment, 301
Skin, of mouse, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 399, 403
–, –, sebaceous-gland suppression test, with 4-chloromethylbiphenyl, 391
Sperm head, abnormality test, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 345
Sporulation inhibition, in *S. cerevisiae*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 173
Spot test, Salmonella, benzyl chloride and 4-chloromethylbiphenyl, 17
Strand breaks, in *S. cerevisiae*, by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 119
Styles, method, transformation of BHK 21.C13 cells by benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 215
Syrian hamster, embryo cells, pretreatment with 4-chloromethylbiphenyl, viral transformation, 229

Transformation, BHK assay, 4-chloromethylbiphenyl, 227

Transformation, (*continued*)
–, viral, of hamster embryo cells, pretreatment with 4-chloromethylbiphenyl, 229
Tumour, cells, alveolar, human, benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 203

UKEMS, Genotoxicity Trial, 1981, genetic toxicology of 4-chloro- and 4-hydroxymethylbiphenyl, and benzyl chloride, overview, 411
–, –, –, organization, selection criteria and preparation of chemicals, 1
–, –, –, overview of chemical and biological re-
UKEMS, Genotoxicity Trial, 1981, (*continued*)
activity of 4-chloromethylbiphenyl and related compounds, 417

Viral, transformation, of hamster embryo cells, pretreatment with 4-chloromethylbiphenyl, 229

Yeast, genotoxicity of benzyl chloride, 4-chloro- and 4-hydroxymethylbiphenyl, 113, 119, 139, 145, 153, 157, 163, 169, 173, 179, 185